

# CONTACT YOUR NEAREST JENDYK DEALER

## UNIVERSAL ALUMINUM TRUCK LOCK



Big Knobs—Peterbilt and others



Curved Dash Boards  
Mack, Kenworth, others



## GLADHAND LOCKS

Available in plastic or Aluminum



## WHEEL-NUT LOCKS

Hub-Piloted / Uni-mounts

Budd Wheels – Right and  
Left Threaded nut locks



## KING PIN LOCKS

STANDARD

HEAVY DUTY



# GLAD HAND LOCKS



GLAD HAND LOCK—  
Aluminum

PART #: GHALXXX



GLAD HAND LOCK—  
Plastic

PART #: GLADXXX

## EASY INSTALLATION



The Jendyk glad hand lock is applied to the emergency brake (red) connection of the trailer. This lock must be removed before the air line from the tractor can be connected and thereby release the emergency brakes on the trailer. An excellent way to dead-line a trailer.

## STANDARD KING PIN LOCK -



**PART #: KPL01MK4**

- Shaped to prevent jamming the 5th wheel.
- Shaped to localize damage, if hit, and minimize effort to remove.
- Strong cylinder locking to make removal without the key very difficult.
- Lock cylinder can be easily removed for cleaning or changing.
- Ductile iron casting.
- Tough yellow flag attached by a strong line, easily replaced if torn off
- Keyed alike in any quantity, same key number can immediately be supplied in future.

## “CLEAN HANDS” KING PIN LOCK - KPLMK5HD



**PART #: KPLMK5HD**

- Built like a cup to hold the grease away from your hands.
- Cup shape greatly reduces “jamming” from attempted coupling with lock in place
- Long 5/8 inch locking bolt and “floating” cylinder keeps weight of lock on the 5/8 inch bolt, and not on the 3/16 threaded part.
- Probably the best, **inexpensive King Pin Lock** available.

# WHEEL NUT LOCKS

## HUB-PILOTED WHEEL-NUT LOCKS



PART NO.	ITEM
XUN22Z	Cone Washer Nut - 22 MM
XUK22Z	Replaceable Pin Key

## BUDD WHEEL-NUT LOCKS



PART NO.	ITEM
XBN16Z	Right F. Steer Wheel Nut/ Sleeve
XBN17Z	Left F. Steer Wheel Nut/ Sleeve
XBN28Z	Right Dual Wheel Nut
XBN29Z	Left Dual Wheel Nut
XBK81Z	Replaceable Pin Key

DAYTON NUT LOCKS ARE ALSO AVAILABLE



# TRUCK EMERGENCY BRAKE LOCK

## INSTALLATION:

Pull valves **ON**. Place each half of the parking brake covers around the air brake valves as shown. (For the first time installation, use the hex wrench to adjust the two screws to give the proper fit for your style truck.) Bring these two halves together and push in the cylinder until locked.

## APPLICATIONS:

- Owners/Drivers —Reduce risk of theft when on the road.
- Fleets – protect the trucks in your yard.
- Truck service — Use on trucks taken out of service until repairs are made.



The YOKEMK4 has been designed as a universal truck lock.



Big Knobs—Peterbilt and others



Curved Dash Boards  
Mack, Kenworth, others

## **SINGLE KNOB YOKE LOCK FOR BUSES, DUMP TRUCKS, ETC.**



**USED TO SECURE BUSES  
(Half yoke in place)**



**USED TO SECURE DUMP TRUCKS  
(Lock in Place)**

### **FIRST TIME INSTALLATION OF SINGLE KNOB YOKE LOCK**

Adjust the screws on the two yoke pieces so that the knob cannot be depressed when the yokes are in place (See Figures 1 and 2). After these adjustments are made, bring the two pieces together and install the padlock (See Figure 3).

As long as the yoke lock is used on the same truck, the above adjustments will be required only once. Future installations will just require the setting of the brakes, putting the yoke pieces in place and applying the padlock.



Figure 1. Adjust Set Screws



Figure 2. Check set-screw adjustment



Figure 3. Install yoke lock

**PART NUMBER: YOKE1KNOB**

**AVAILABLE KEYED ALIKE OR KEYED DIFFERENT**

# AIR CLEANER LOCKS

PETERBILT

**Part No. X10-PB38S**  
**(4 Bolts, 4 sleeves, 2 spacers and 1 key)**

**Part No. X10-PBDOU**  
**(8 Bolts, 8 sleeves, 4 spacers and 1 key)**



## PARTS LIST:

- To turn the special nuts: **Special key**
- To secure air cleaner clamps: **2 Bolts with matching 2 nuts and 2 sleeves with 4 spacer units**
- To keep air cleaner bracket attached to truck: **2 Nuts with matching 2 sleeves.**
- To provide resistance when removing nuts: **Loctite**

**Part No. X10-AS38S**

KENWORTH

